J Am Acad Audiol 17:776–778 (2006)

Index to Volume 17

Author Index

Agung K, 559
Arcaroli J, 350

Bagatto MP, 573
Bahng J, 649
Baldwin K, 265
Barco A, 133
Bentler R, 179, 190
Berger T, 448
Bourdette D, 605
Blamey PJ, 519
Brenner B, 763
Burchfield SB, 141, 168, 626, 659
Burks CA, 385

Calandruccio L, 470
Cameron S, 306
Cebulla M, 93, 448
Chapchap M, 293
Clopper CG, 331
Cobb FE, 85
Cox LC, 487

Danhauer JL, 202, 708
D'Haese P, 133
Dhar S, 279
DiGiovanni JJ, 498
Dillon H, 306
Dreisbach L, 265
Driscoll C, 253
Durrant JD, 45

Edwards J, 133
Elberling C, 93, 448
Emmer MB, 747

Fabry D, 398
Fausti SA, 605
Ferraro JA, 45
Fiket HJ, 519
Finnegan D, 708
Fitzgerald TS, 470
Fourakis MS, 350
Fowler CG, 582
Franck KH, 722
Franklin Jr CA, 141
Freyaldenhoven MC, 168, 626, 640, 659
Friedman LB, 85
Furukawa I, 506

Gans RE, 598
Gates GA, 16
Gavin RB, 708
Ghossaini SN, 38
Grantham DW, 133
Gravel JS, 147
Griest S, 104
Groth J, 763
Gudmundsen GI, 617

Hamill TA, 27
Harkrider AW, 667
Hawks JW, 350
Henry JA, 104
Hickson L, 253
Hodges AV, 413
Holden LK, 350
Holden T, 350
Hornsby BWY, 432
Hyde M, 350
Hullar T, 6
Hutter M, 605

Jastreboff PJ, 104
Jensen OD, 763
Jespersen CT, 763
Johnson CE, 202, 708
Johnson EE, 432

Kaelin C, 104
Kam ACS, 241
Karns SR, 708
Kazahaya K, 722
Kiessling J, 763
Killion MC, 617
King JE, 413
Konrad TN, 640
Kopke R, 265
Kramer S, 265

Lamb M, 708
Latiolais LN, 708
Lau PSH, 241
Leigh-Paffenroth ED, 582
Leming DT, 481
Lewis MS, 605
Lilly DJ, 605
Lockwood J, 265
Lopez IP, 708
Lundy LB, 481
Lutolf JJ, 747
Lyons KS, 104

Mazlan R, 253
McArdle RA, 157
McCoy SL, 487
McDermott HJ, 733
McKay CM, 733
McMahon CM, 559
McPherson B, 293
Meikle MB, 104
Meuel C, 708
Mispagel KM, 6, 398, 681
Monin DL, 722
Montaudo RL, 598
Mueller HG, 179, 190
Muenchen RA, 626, 640

Nabelek AK, 141, 168, 626
Nair P, 498
Newall P, 306, 559
Niquette PA, 617

O'Leary M, 265
Olusanya B, 293

Palmer C, 179, 190
Payne S, 413
Pecile A, 708
Peelle JE, 487
Pisoni DB, 331
Polak M, 413
Plyler PN, 168, 659
Prieve BA, 470
Purdy SC, 559

Rapin I, 147
Ricketts TA, 133, 432
Roberts RA, 598
Roup CM, 230

Sabes JH, 538
Saunders J, 605
Schechter MA, 104
Schoepflin JR, 747
Scollie SD, 573
Scranton S, 265
Seewald RC, 573
Shaffer LA, 279
Shapiro SA, 481
Shepard NT, 69
Shrivastav R, 293
Silman S, 747
Silverman CA, 747
Skinner MW, 350
Smiley DF, 640
Smith MG, 321
Steele BR, 519
Stewart BJ, 104
Storzbach D, 506
Stürzebecher E, 93, 448
Swanepoel DW, 293
Sweetow RW, 538

J Am Acad Audiol 17:776–778 (2006)

Index to Volume 17

Author Index

Agung K, 559
Arcaroli J, 350

Bagatto MP, 573
Bahng J, 649
Baldwin K, 265
Barco A, 133
Bentler R, 179, 190
Berger T, 448
Bourdette D, 605
Blamey PJ, 519
Brenner B, 763
Burchfield SB, 141, 168, 626, 659
Burks CA, 385

Calandruccio L, 470
Cameron S, 306
Cebulla M, 93, 448
Chapchap M, 293
Clopper CG, 331
Cobb FE, 85
Cox LC, 487

Danhauer JL, 202, 708
D'Haese P, 133
Dhar S, 279
DiGiovanni JJ, 498
Dillon H, 306
Dreisbach L, 265
Driscoll C, 253
Durrant JD, 45

Edwards J, 133
Elberling C, 93, 448
Emmer MB, 747

Fabry D, 398
Fausti SA, 605
Ferraro JA, 45
Fiket HJ, 519
Finnegan D, 708
Fitzgerald TS, 470
Fourakis MS, 350
Fowler CG, 582
Franck KH, 722
Franklin Jr CA, 141
Freyaldenhoven MC, 168, 626, 640, 659
Friedman LB, 85
Furukawa I, 506

Gans RE, 598
Gates GA, 16
Gavin RB, 708
Ghossaini SN, 38
Grantham DW, 133
Gravel JS, 147
Griest S, 104
Groth J, 763
Gudmundsen GI, 617

Hamill TA, 27
Harkrider AW, 667
Hawks JW, 350
Henry JA, 104
Hickson L, 253
Hodges AV, 413
Holden LK, 350
Holden T, 350
Hornsby BWY, 432
Hyde M, 350
Hullar T, 6
Hutter M, 605

Jastreboff PJ, 104
Jensen OD, 763
Jespersen CT, 763
Johnson CE, 202, 708
Johnson EE, 432

Kaelin C, 104
Kam ACS, 241
Karns SR, 708
Kazahaya K, 722
Kiessling J, 763
Killion MC, 617
King JE, 413
Konrad TN, 640
Kopke R, 265
Kramer S, 265

Lamb M, 708
Latiolais LN, 708
Lau PSH, 241
Leigh-Paffenroth ED, 582
Leming DT, 481
Lewis MS, 605
Lilly DJ, 605
Lockwood J, 265
Lopez IP, 708
Lundy LB, 481
Lutolf JJ, 747
Lyons KS, 104

Mazlan R, 253
McArdle RA, 157
McCoy SL, 487
McDermott HJ, 733
McKay CM, 733
McMahon CM, 559
McPherson B, 293
Meikle MB, 104
Meuel C, 708
Mispagel KM, 6, 398, 681
Monin DL, 722
Montaudo RL, 598
Mueller HG, 179, 190
Muenchen RA, 626, 640

Nabelek AK, 141, 168, 626
Nair P, 498
Newall P, 306, 559
Niquette PA, 617

O'Leary M, 265
Olusanya B, 293

Palmer C, 179, 190
Payne S, 413
Pecile A, 708
Peelle JE, 487
Pisoni DB, 331
Polak M, 413
Plyler PN, 168, 659
Prieve BA, 470
Purdy SC, 559

Rapin I, 147
Ricketts TA, 133, 432
Roberts RA, 598
Roup CM, 230

Sabes JH, 538
Saunders J, 605
Schechter MA, 104
Schoepflin JR, 747
Scollie SD, 573
Scranton S, 265
Seewald RC, 573
Shaffer LA, 279
Shapiro SA, 481
Shepard NT, 69
Shrivastav R, 293
Silman S, 747
Silverman CA, 747
Skinner MW, 350
Smiley DF, 640
Smith MG, 321
Steele BR, 519
Stewart BJ, 104
Storzbach D, 506
Stürzebecher E, 93, 448
Swanepoel DW, 293
Sweetow RW, 538

Tampas JW, 626, 667
Tchorz J, 398
Telischi FF, 413
Tharpe AM, 573
Thelin JW, 141, 168, 659
Tierney AT, 331
Tun PA, 487

Umat C, 733

Valente M, 6, 398, 681
Valente LM, 6
Vaughan N, 506
Vernon JA, 104
von Hapsburg D, 649

Wazen JJ, 38
Weakley DG, 385
White KR, 295
Wiley TL, 230
Williams V, 708
Wilson RH, 157, 230, 385
Windmill IM, 321, 367
Windmill S, 367
Wingfield A, 487

Yuen KCP, 241

Zapala DA, 481
Zaugg TL, 104

Key Word Index

acceptable noise level, 141, 626, 640, 649, 659, 667
acceptance of background noise, 168
accreditation, 321
acoustic analyses, 350
action potential, 45
adaptive-directional microphone, 179, 190, 241
adaptive dynamic range optimization (ADRO), 681
admittance of air in ear canal, 470
aging, 230, 487, 506, 582
amplification, 6, 747
amplitude-modulation following responses, 93
analytic training, 538
antioxidants, 265
antiphospholipid antibody disorder, 498
antiphospholipid syndrome, 498
ASSR, 448, 582
asymmetric hearing loss, 747
auditory brainstem response, 45, 667
auditory deprivation, 747
auditory evoked potentials, 45, 367, 582, 667
auditory learning, 538
auditory perception, 157, 385
auditory processing disorder, 306
auditory steady-state responses, 93, 448
auditory temporal processing, 582
aural figure-ground discrimination, 306
aural rehabilitation, 538

background noise, 626
background noise level, 141
behind-the-ear (BTE), 398
benign paroxysmal positional vertigo, 481, 598
bilateral fitting, 763
bilingual, 649
binaural advantage, 659
binaural audio engineering, 306
binaural interaction, 306
broadband click, 45

canalith repositioning maneuver, 598
click-evoked otoacoustic emissions, 667
clinical research, 350
clinical trial, 104
cochlear delay time, 448
cochlear implant, 133, 350, 413, 722, 733
cochlear microphonic, 45
cognition, 506
cognitive changes, 538
college admissions test, 321
comparison of statistical tests, 93
computer assisted therapy, 538
conductance, 470
consonants, 350
conventional venting, 763
cortical auditory evoked potentials, 559

debonafide effect, 27
device failure, 722
dichotic listening tests, 230
digit triplets, 385
digital perception processing, 241
digital signal processing, 6
directional, 179, 190
directional benefit, 398
directional hearing aids, 168
directional microphones, 6, 398, 519
diseases, 367
distortion product otoacoustic emissions, 265, 279
dizziness, 69

early hearing detection and intervention programs, 708
education, 321
electrocochleography, 45
electrode voltage, 722
electronystagmography, 85
endolymphatic hydrops, 45
endolymphatic sac surgery, 38
extratympanic, 45

fixed-directional microphone, 190
fixed-directional microphone speech perception, 179
FM technology, 605
front-to-back ratio, 168

gait, 85
gentamycin, 38

health occupations, 321
hearing, 605
hearing aid, 179, 190, 432, 519, 573, 626, 747, 763
hearing aid preferences, 190
hearing aid prescription, 241
hearing aid use, 626
hearing disorders, 104, 367
hearing impaired, 230
Hearing in Noise Test (HINT), 398, 681
hearing loss, 157, 385, 432, 487
hearing threshold, 279

hearing threshold assessment, 448
hydrops, 16

infant, 367, 470, 573
informational masking, 432
interactive communication strategies, 538
interaural level difference, 133
in-the-canal (ITC), 398
intractable vertigo, 38
intratympanic therapy, 38

lexical competition, 331
licensure, 321
Ling sound test, 559
listener confidence, 538
localization, 133
loud music, 265
loudness discomfort level, 6
low-frequency gain compensation, 168

memory, 506
Ménière's disease, 6, 16, 27, 38, 45, 69
microphone location, 133
middle ear admittance, 470
middle latency response, 667
migraine, 69
military veterans, 104
monaural amplification, 659
monosyllabic words, 350
most comfortable listening level, 141
multichannel compression, 681
multichannel noise reduction, 241
multidimensional scaling, 733
multifrequency tympanometry, 470
multiple sclerosis, 605

N-acetylcysteine, 265
NAL-NL1, 241
national survey, 708
neonatal screening, 253, 367
neural plasticity, 538
neural response telemetry, 413
neurolabyrinthitis, 481
newborn, 367
newborn hearing screening, 202
newborn hearing screening programs, 708
noise exposure, 265
noise-induced hearing loss, 265
novel venting, 763

objective audiometry, 448
omnidirectional microphone, 398
otoacoustic emissions, 16
otoconia, 598
outcome measure, 202

parent questionnaire, 253
parent satisfaction, 253
parents, 202
pediatric otolaryngologist questionnaire, 708
perceptual learning, 538
perceptual masking, 432
phase locking, 582
Phonak Perseo, 398
pitch, 733
placebo effect, 27
positional nystagmus, 85
preference for background sound/noise, 640
probe-tube technique, 573
professional, 321
programming levels, 413

QuickSIN™, 157

real-ear-to-coupler difference, 573
RECD, 573
rehabilitation, 104
rehabilitation of hearing impaired, 538
reliability, 640
R-Space™ noise, 398, 681

second-order microphone, 179, 190
semicircular canal, 598
sensorineural hearing loss, 498
signal-to-noise ratio, 141
socioacusis, 265
spatial figure-ground discrimination, 306
speech comprehension, 487
speech evoked cortical potentials, 559
speech intelligibility, 432
speech perception, 157, 230, 385, 582, 605, 649, 733
speech perception in noise, 626
speech rate, 487
speech recognition, 506, 747
speech understanding in noise, 168, 659
speed of processing, 538
spoken word recognition, 331
statistical response detection, 93
steroids, 38
subjective occlusion effect, 763
subjective ratings, 190
summating potential, 45
susceptance, 470
syntactic complexity, 487
synthetic training, 538
systemic lupus erythematosus, 498

talker variability, 331
task demands, 331
temporary threshold shift, 265
therapy, 16
tinnitus, 104
toddler, 470
toneburst, 45
transtympanic, 45
treatment, 16
tympanic membrane, 45
tymptrode, 45

unilateral fitting, 763
unilateral hearing loss, 747

Vanhuyse et al model, 470
venting, 168
vertigo, 16, 69
vestibular, 16
vestibular nerve section, 38

word recognition, 747
word recognition in multitalker babble, 157, 385
working memory, 538